

Dock Watch Thermostat Installation Guide

1. **Read** all instructions **before** installing thermostat.
2. **Remove** thermostat and inspect.
3. **Locate** dock post to attach thermostat.
Make sure there is a GFI outlet close enough to thermostat for cord to reach.
4. **Place** thermostat in the first place that will freeze, or the coldest place on the dock. Preferably in the shade.
5. **Use** the mounting tabs on back of thermostat box to mount on dock post. (These will pull out to the side of the box) Self tapping screws are best
6. **Mount** thermostat no closer than 10 feet away from de-icer.
7. **Adjust** thermostat so tape line just touches the water's surface.
Tape should still be above the water.
8. **Zip tie** the water tube to dock post to prevent floating debris from bending or breaking the tubing.
9. **Plug** thermostat into GFI outlet and then plug de-icer into thermostat.
10. **NEVER** run thermostat with long probe completely out of the water. This will damage your thermostat and void any and all warranties.
11. **Return** the thermostat to BOWLING ELECTRIC every 4-5 years for recalibration.
Recalibration costs are \$20 + Shipping and handling.

Dock Watch Thermostat Installation Guide

1. **Read** all instructions **before** installing thermostat.
2. **Remove** thermostat and inspect.
3. **Locate** dock post to attach thermostat.
Make sure there is a GFI outlet close enough to thermostat for cord to reach.
4. **Place** thermostat in the first place that will freeze, or the coldest place on the dock. Preferably in the shade.
5. **Use** the mounting tabs on back of thermostat box to mount on dock post. (These will pull out to the side of the box) Self tapping screws are best
6. **Mount** thermostat no closer than 10 feet away from de-icer.
7. **Adjust** thermostat so tape line just touches the water's surface.
Tape should still be above the water.
8. **Zip tie** the water tube to dock post to prevent floating debris from bending or breaking the tubing.
9. **Plug** thermostat into GFI outlet and then plug de-icer into thermostat.
10. **NEVER** run thermostat with long probe completely out of the water. This will damage your thermostat and void any and all warranties.
11. **Return** the thermostat to BOWLING ELECTRIC every 4-5 years for recalibration.
Recalibration costs are \$20 + Shipping and handling.